


SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com















Item number/s:

6400033

Semi-automatic paver for multipurpose sports surfaces, playgrounds, runways and jogging tracks. Working width 1,100 mm (variable), area performance 290m²/h.

P211 is driven by an electrical gear motor, and thanks to the frequency converters, its paving speed is variably adjustable. The steering drawbar is equipped with operating elements for driving and the oscillation of the screed. Lateral pressure on the steering drawbar determines the direction of travel of the machine.

The compaction of the material as well as the installation thickness can be changed manually. Therefore, this lightweight machine can easily be operated by one person.

Detail views







PlanoMatic P211


Seat plate, with adjustable seat, fits on both sides, for the transport pivoted

Tilt adjustment of the screed, manual handwheel for adjusting the installation thickness

Detail views




Steering arm, for the transport pivoted, with control elements for variable drive and oscillation of the screed bar



Produktinformation

Newsletter PlanoMatic Modellreihe_de



Product information

Newsletter PlanoMatic series_en

Technical information

Power	3 kW (4,1 HP) / 3 ph. / 400 V / 50 - 60 Hz / 5,5 A
Traction drive	Electric motor with frequency converter for variable speed from approx. 0.8 m/min to 4.5 m/min
Chain drive	with standard chains 80 x 40 mm
Installation width	1,100 mm (variable)
Area performance	290 m²/h
Weight	410 kg
Dimensions	L 1,890 x W 2,680 x H 740 mm

Dimensions shipping

L 1,860 x W 1,700 x H 1,100 mm

Subject to technical changes



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com